

The following listing of claims will replace all prior versions, and listings, of claims in the application:

1. (Currently Amended) A method for supporting a slide presentation in a zoomable space, the method comprising steps of: comprising:

recursively providing a structure of presentation information, the presentation information including one or more of slides, text labels, and graphical elements;

synchronizing a layout of the presentation information in the zoomable space based on the structure of the presentation information.

2. (Currently Amended) The method according to claim 1, further comprising: creating a path based on the hierarchy, the path being a sequence of the presentation information for the slide presentation;

receiving a modification in at least one of the hierarchy a hierarchy and the layout;

updating the path based on the modification.

- 3. (Original) The method according to claim 1, wherein the structure of the presentation information is a hierarchy of the presentation information.
- 4. (Currently Amended) The method according to claim 1, further comprising displaying the presentation information based on the path a path.
- 5. (Currently Amended) The method according to claim 1, further comprising synchronizing the hierarchy a hierarchy and the layout based on the modification.
- 6. (Original) The method according to claim 1, wherein the presentation information is laid out in a format, the format including at least one of a circular format, an outline format, an arc format, a nested rectangular grouping, a network format, a rectangular format, and a line format.

- 7. (Currently Amended) The method according to claim 1, further comprising displaying the path. a path.
- 8. (Original) The method according to claim 7, wherein the path is displayed using thumbnail images of the information.
- 9. (Currently Amended) The method according to claim 1, further comprising displaying the updated an updated path.
- 10. (Original) The method according to claim 9, wherein the path is displayed using thumbnail images of the information.
 - 11. (Original) The method according to claim 1, further comprising:
 taking a graphical image of a particular area of the zoomable space; and
 inserting the graphical image as presentation information in the path.
- 12. (Currently Amended) The method according to claim 1, further comprising allowing a user to navigate the presentation information in a direction in the zoomable space, the direction including navigating to at least one of a higher level of the hierarchy, a lower level of the hierarchy, and the presentation information in the same level of the hierarchy.
- 13. (Original) The method according to claim 12, further comprising at least one of:

displaying indicators on a current slide such that text labels and/or the slides near the current slide are indicated; and

displaying indications to indicate the level of hierarchy of the current slide.

14. (Original) The method according to claim 12, wherein the navigation includes going to a higher level in the hierarchy, a lower level in the hierarchy, another information in the same level of the hierarchy, and a root of the hierarchy.

- 15. (Original) The method according to claim 12, wherein the navigation includes zooming into and out from a particular area in the zoomable space.
- 16. (Currently Amended) A method for supporting a slide presentation in a zoomable space, the method comprising:

recursively providing a structure of presentation information, the presentation information including one or more of slides, text labels, and graphical elements; providing a layout of the presentation information in the zoomable space; providing a path based on the structure of the presentation information; and automatically updating the path based on a modification upon receiving the modification in at least one of the structure of the presentation information and the layout.

17. (Currently Amended) A method for supporting a slide presentation in a zoomable space, the method comprising steps of: comprising:

recursively providing a hierarchy of presentation information, the presentation information including one or more of slides, text labels, and graphical elements;

providing a layout of the presentation information in the zoomable space based on the hierarchy;

allowing a user to navigate the presentation information in a direction in the zoomable space, the direction including navigating to at least one of a higher level of the hierarchy, a lower level of the hierarchy, and the presentation information in the same level of the hierarchy.

18. (Currently Amended) A system for supporting a slide presentation in a zoomable space, comprising:

a structure construction circuit, routine or application that <u>recursively</u> provides a structure of presentation information, the presentation information including one or more of slides, text labels and graphical elements; and

a layout management circuit, routine or application that synchronizes a layout of the presentation information in the zoomable space based on the structure of the presentation information.

- 19. (Currently Amended) The system according to claim 18, further comprising:

 a path construction/update circuit, routine or application that creates a path
 based on the structure, the path being a sequence of the presentation information for the slide
 show, and automatically updates the path based on a modification in at least one of the
 hierarchy a hierarchy and the layout, received by a modification management circuit, routine
 or application.
- 20. (Original) The system according to claim 18, wherein the structure of the presentation information is a hierarchy of the presentation information.
- 21. (Currently Amended) The system according to claim 18, further comprising a slide show management circuit, routine or application that displays the presentation information based on the path.a path.
- 22. (Original) The system according to claim 18, further comprising:

 a slide construction circuit, routine or application that allows the user to create the slides; and

a text label creation circuit, routine or application that allow the user to create the text labels.

- 23. (Currently Amended) The system according to claim 18, wherein the modification management circuit, routine or application synchronizes the hierarchy a hierarchy and the layout based on the modification.
- 24. (Original) The system according to claim 18, wherein the layout management circuit, routine or application arranges the presentation information in a format that includes

at least one of a circular format, an outline format, an arc format, a nested rectangular grouping, a network format, a rectangular format, and a line format.

- 25. (Currently Amended) The system according to claim 18, further comprising a path display circuit, routine or application that displays the path and the updated an updated path.
- 26. (Original) The system according to claim 25, wherein the path display circuit, routine or application displays the path using thumbnail images of the information.
- 27. (Currently Amended) The system according to elaim 18, claim 19, wherein the path construction/update circuit, routine or application takes a graphical image of a particular area of the zoomable space and inserts the graphical image as presentation information in the path.
- 28. (Currently Amended) The system according to claim 18, further comprising a navigation circuit, routine or application that allows the user to navigate the presentation information in a direction in the zoomable space, the direction including navigating to at least one of a higher level of the hierarchy, a lower level of the hierarchy, and the presentation information in the same level of the hierarchy.
- 29. (Original) The system according to claim 28, wherein the navigation circuit, routine or application displays indicators of a current slide such that the text labels and/or the slides near the current slide are indicated, and displays indications to indicate the level of hierarchy of the current slide.
- 30. (Original) The system according to claim 28, wherein the navigation circuit, routine or application navigates the zoomable space by going to a higher level in the hierarchy, a lower level in the hierarchy, another information in the same level of the hierarchy, and a root of the hierarchy.

- 31. (Original) The system according to claim 28, wherein the navigation circuit, routine or application zooms into and out from a particular area in the zoomable space.
- 32. (Currently Amended) A system for supporting a slide show in a zoomable space, comprising:

a structure construction circuit, routine or application that <u>recursively</u> provides a structure of presentation information, the presentation information including one or more of slides, text labels and graphical elements;

a layout management circuit, routine or application that provides a layout of the presentation information in the zoomable space; and

a path construction/update circuit, routine or application that creates a path based on the structure of the presentation information and automatically updates the path based on a modification upon receiving the modification in at least one of the structure of the presentation information and the layout.

33. (Currently Amended) A system for supporting a slide show in a zoomable space, comprising:

a structure construction circuit, routine or application that <u>recursively</u> provides a hierarchy of presentation information, the presentation information including one or more of slides, text labels and graphical elements;

a layout management circuit, routine or application that provides a layout of the presentation information in the zoomable space based on the hierarchy;

a navigation circuit, routine or application that allows a user to navigate the presentation information in a direction in the zoomable space, the direction including navigating to at least one of a higher level of the hierarchy, a lower level of the hierarchy, and the presentation information in the same level of the hierarchy.